



产品认证证书

证书编号: CQC19001231099

申请人名称及地址

小耳朵(广东)电子科技股份有限公司
惠州仲恺高新区沥林镇山陂村康林大道1号(综合楼)、(厂房A)

制造商名称及地址

小耳朵(广东)电子科技股份有限公司
惠州仲恺高新区沥林镇山陂村康林大道1号(综合楼)、(厂房A)

生产企业名称及地址

小耳朵(广东)电子科技股份有限公司(V037572)
广东省惠州市仲恺高新区沥林镇山陂村康林大道1号(综合楼)一至二楼、(厂房A)二至四楼

产品名称和系列、规格、型号

开关电源

见附件(仅适用于海拔2000米及以下,仅适用于非热带气候条件)

产品标准和技术要求

GB4943.1-2011

认证模式

产品型式试验+获证后监督

上述产品符合 CQC12-045670-2015 认证规则的要求,特发此证。

发证日期:2019年11月01日

本证书的有效性依据发证机构的定期监督获得保持。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0156043



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19001231099

NAME AND ADDRESS OF THE APPLICANT

Guangdong Steady Technology Co., Ltd.
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin
Town,Zhongkai Hi-Tech Zone,Huizhou City.

NAME AND ADDRESS OF THE MANUFACTURER

Guangdong Steady Technology Co., Ltd.
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin
Town,Zhongkai Hi-Tech Zone,Huizhou City.

NAME AND ADDRESS OF THE FACTORY

Guangdong Steady Technology Co., Ltd. (V037572)
(Office Building)F1-F2,(Plant A)F2-F4,Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi
Village,Lilin Town,Zhongkai Hi-Tech Zone,Huizhou City.

PRODUCT NAME, MODEL AND SPECIFICATION

Switching Mode Power Supply
See Appendix(Altitude up to 2000m, Only applicable to non-tropical climate)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification
rules of CQC12-045670-2015 .

Valid from: Nov.01,2019

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing
certification body.

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

C 0156043



产品认证证书

附 录

证书编号: CQC19001231099

第 1 页 共 2 页

纸 号: 156043

型号	输入参数	输出		
		电压 (Vdc)	电流 (A)	最大功率 (W)
ZZZ-WAX150-12L	200-240Vac 2.5A Max 50Hz	12	12.5	150
ZZZ-WAX150-15L		15	10	150
ZZZ-WAX150-18L		18	8.34	150
ZZZ-WAX150-24L		24	6.25	150
ZZZ-WAX150-27L		27	5.55	150
ZZZ-WAX150-36L		36	4.17	150
ZZZ-WAX150-48L		48	3.13	150
ZZZ-WAX150-52L		52	2.89	150
ZZZ-WAX120-5L		5	12.5	62.5
ZZZ-WAX120-7.5L		7.5	10	75
ZZZ-WAX120-12L		12	10	120
ZZZ-WAX120-15L		15	8	120
ZZZ-WAX120-18L		18	6.67	120
ZZZ-WAX120-24L		24	5	120
ZZZ-WAX120-27L		27	4.45	120
ZZZ-WAX120-36L		36	3.34	120
ZZZ-WAX120-48L		48	2.5	120

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 2 页 共 2 页

证书编号: CQC19001231099

纸 号: 156043

ZZZ-WAX120-52L		52	2.31	120
ZZZ-WAX100-5L		5	10	50
ZZZ-WAX100-7.5L		7.5	10	75
ZZZ-WAX100-12L		12	8.5	102
ZZZ-WAX100-15L		15	6.67	100
ZZZ-WAX100-18L		18	5.56	100
ZZZ-WAX100-24L		24	4.17	100
ZZZ-WAX100-27L		27	3.71	100
ZZZ-WAX100-36L		36	2.78	100
ZZZ-WAX100-48L		48	2.09	100
ZZZ-WAX100-52L		52	1.93	100

ZZZ=STD, HMQ, DED; A=A-Z; X=A-Z, 各型号之间的差异除外观喷涂颜色、型号命名、输出规格、变压器 (仅型号命名和次级绕组不同) 以及次级电路的部分元器件 (次级输出电容 C5、C6、C7、C8、C9、C10、C26, 取样电阻 R41、R29 及肖特基 Q2、Q3) 参数不同外, 其它均相同。

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>