



# 产品认证证书

证书编号：CQC19001235781

## 申请人名称及地址

小耳朵（广东）电子科技股份有限公司  
惠州仲恺高新区沥林镇山陂村康林大道1号（综合楼）、（厂房A）

## 制造商名称及地址

小耳朵（广东）电子科技股份有限公司  
惠州仲恺高新区沥林镇山陂村康林大道1号（综合楼）、（厂房A）

## 生产企业名称及地址

小耳朵（广东）电子科技股份有限公司(V037572)  
广东省惠州市仲恺高新区沥林镇山陂村康林大道1号（综合楼）一至二楼、（厂房A）二至四楼

## 产品名称和系列、规格、型号

开关电源

见附件（仅适用于海拔5000米及以下）

## 产品标准和技术要求

GB4943.1-2011

## 认证模式

产品型式试验+获证后监督

上述产品符合 CQC12-045670-2015 认证规则的要求，特发此证。

发证日期：2020年01月02日

本证书的有效性依据发证机构的定期监督获得保持。

主任：\_\_\_\_\_

陆楠



## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0188188



# PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19001235781

## NAME AND ADDRESS OF THE APPLICANT

Guangdong Steady Technology Co., Ltd.  
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin  
Town,Zhongkai Hi-Tech Zone,Huizhou City.

## NAME AND ADDRESS OF THE MANUFACTURER

Guangdong Steady Technology Co., Ltd.  
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin  
Town,Zhongkai Hi-Tech Zone,Huizhou City.

## NAME AND ADDRESS OF THE FACTORY

Guangdong Steady Technology Co., Ltd. (V037572)  
(Office Building)F1-F2,(Plant A)F2-F4,Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi  
Village,Lilin Town,Zhongkai Hi-Tech Zone,Huizhou City.

## PRODUCT NAME, MODEL AND SPECIFICATION

Power Supply  
See appendix (Altitude up to 5000m)

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011

## TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification  
rules of CQC12-045670-2015 .

Valid from: Jan.02,2020

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing  
certification body.

President: \_\_\_\_\_

Lu Mei



## CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China  
<http://www.cqc.com.cn>

C 0188188



# 产品认证证书

附 录

第 1 页 共 3 页

证书编号: CQC19001235781

纸 号: 188188

型号	输入参数	输出		
		电压 (Vdc)	电流 (A)	功率 (W)
ZZZ-Waa350-5L	200-240Vac 6.0A max. 50/60Hz	5	40	200
ZZZ-Waa350-7.5L		7.5	30	225
ZZZ-Waa350-12L		12	30	360
ZZZ-Waa350-15L		15	24	360
ZZZ-Waa350-18L		18	20	360
ZZZ-Waa350-24L		24	15	360
ZZZ-Waa350-27L		27	13.34	360
ZZZ-Waa350-36L		36	10	360
ZZZ-Waa400-48L		48	7.69	369
ZZZ-Waa400-52L		52	7.70	400
ZZZ-Waa300-5L		5	30	150
ZZZ-Waa300-7.5L		7.5	25	187.5
ZZZ-Waa300-12L		12	25	300
ZZZ-Waa300-15L		15	20	300
ZZZ-Waa300-18L		18	16.5	297
ZZZ-Waa300-24L		24	12.5	300
ZZZ-Waa300-27L		27	11.12	300

注: 此附录与证书同时使用时有效。

主任: 陆杨



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





# 产品认证证书

附 录

第 2 页 共 3 页

证书编号: CQC19001235781

纸 号: 188188

ZZZ-Waa300-36L	36	8.34	300
ZZZ-Waa350-48L	48	7.5	360
ZZZ-Waa350-52L	52	6.93	360
ZZZ-Waa250-5L	5	20	100
ZZZ-Waa250-7.5L	7.5	20	150
ZZZ-Waa250-12L	12	20	240
ZZZ-Waa250-15L	15	16.5	247.5
ZZZ-Waa250-18L	18	13.34	240
ZZZ-Waa250-24L	24	10	240
ZZZ-Waa250-27L	27	8.89	240
ZZZ-Waa250-36L	36	6.67	240
ZZZ-Waa300-48L	48	6.25	300
ZZZ-Waa300-52L	52	5.77	300
ZZZ-Waa201-5L	5	16.5	82.5
ZZZ-Waa201-7.5L	7.5	16.5	123.7
ZZZ-Waa201-12L	12	16.5	198
ZZZ-Waa201-15L	15	13.34	200
ZZZ-Waa201-18L	18	11.12	200
ZZZ-Waa201-24L	24	8.34	200

注: 此附录与证书同时使用时有效。

主任: 陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



# 产品认证证书

附 录

第 3 页 共 3 页

证书编号: CQC19001235781

纸 号: 188188

ZZZ-Waa201-27L		27	7.41	200
ZZZ-Waa201-36L		36	5.56	200
ZZZ-Waa250-48L		48	5	240
ZZZ-Waa250-52L		52	4.62	240
ZZZ-Waa201-48L		48	4.17	200
ZZZ-Waa201-52L		52	3.85	200

ZZZ=STD, HMQ, DED; 表示不同品牌。aa 分别用 A-Z 表示; 第一“a”表示不同的客户代码, 第二个“a”, 表示销售目的。

注: 此附录与证书同时使用时有效。

主任: 陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>